

# STS Separator

## Data sheet

The Kongskilde STS separator is designed for pneumatic conveying systems in the paper, plastic and packaging industries.

The Kongskilde STS separator is placed at the discharge end of the conveying system, which could be a stationary compactor, baler or a container.

With the STS separator only a minimum volume of air is discharged together with the conveyed material.

The conveying air is blown out through the air outlet of the separator – either

direct in the open air or to a filter, which will remove any dust from the conveying air.

In order to ensure an even material flow through the separator and thereby obtain maximum capacity, a self-adjusting deflector plate is built into the STS separator.


The deflector plate ensures, that no unwanted turbulence will occur, which can have an influence on the efficiency of the STS discharging the material.

Unwanted turbulence is extremely important to avoid when discharging thin foils.




The Kongskilde STS separator is available in three different sizes:

- Type STS 160 for conveying systems equipped with Kongskilde's OK160 pipes (Ø160 mm). The volume of air can be up to 2500 m<sup>3</sup>/h.
- Type STS 200 for conveying systems equipped with Kongskilde's OK200 pipes (Ø200 mm). The volume of air can be from 2000 m<sup>3</sup>/h to 3400 m<sup>3</sup>/h.
- Type STS 300 for conveying systems equipped with Kongskilde's FK300 pipes (Ø300 mm). The volume of air can be from 3400 m<sup>3</sup>/h to 8000 m<sup>3</sup>/h.



## Dimensions



Inches	A	B	C	D	E	F	G	H	I	J
STS 160	62.6	53.6	27.2	23.7	13.9	21.5	11.8	11.8	14.0	OK160
STS 200	75.9	66.7	33.9	29.4	16.9	26.9	14.8	14.8	17.4	OK200
STS 300	112.3	98.6	50.9	43.0	20.4	40.5	18.2	18.2	26.2	FK300

## Accessoires

Transitions are available for easy connection to an optional dust collection unit.



	Diameter, mm	Length, mm
Discharge STS 160	OK200	381
Discharge STS 200	FK250	306
Discharge STS 300	FK300	307

**Kongskilde Industries USA Inc.**  
 1802 Industrial Park Drive, Unit A  
 Normal, IL 61761  
 Tel.: (309) 452-3300  
 kna@kongskilde-industries.com  
 www.kongskilde-industries.com